

Characterization and Comparative Evaluation Strategies to Demonstrate Complex API Sameness

Complex Generic Drug Product Development Workshop Session 3: Characterization of Complex Injectable API and Formulations

September 25, 2019

Deyi Zhang, PhD

Office of Research and Standards, Office of Generic Drugs CDER | US FDA

Disclaimer



This presentation reflects the views of the author and should not be construed to represent FDA's views or policies

Outline



- Introduction: Active pharmaceutical ingredient (API) sameness for an ANDA*
- Characterization Strategies for Complex Injectable API
- Examples

Generic Drugs and API Sameness



A generic drug must be <u>therapeutically equivalent*</u> to the reference listed drug (RLD)

- Pharmaceutical equivalent
- Bioequivalent
- Adequately labeled
- Manufactured in compliance with cGMP regulations



Generic Drugs and API Sameness

Pharmaceutical Equivalent (PE):

- Contains same API
- Uses same dosage form and route of administration
- Is identical in strength or concentration
- Meets the same compendial standards for strength, quality, purity and identity

API sameness is a requirement for generic drugs

Simple API vs Complex API

		4	
	1		1

Simple API	Complex API	
	Peptides	
Small molecules with defined structure	Natural and synthetic polymers	
Mixture of a few small molecules in a fixed ratio	Heterogenous mixture of small molecules	
	Macromolecular complexes	

FDA

Examples of Complex Injectable API

- Peptides
- Oligonucleotides
- Naturally derived or semi-synthetic mixtures
 - Soybean oil; heparin
 - Enoxaparin
- Synthetic complex mixtures
 - Glatiramer acetate
- Iron complexes
 - Iron Sucrose

Demonstrating Complex API Sameness



Totality of Evidence Approach

- Source of starting material
- Reaction scheme
- Structural signature analysis
- Physicochemical and biological properties/impurities

Characterization Strategies for Complex Injectable API



- Structure confirmation or comparative structural signature analysis
 - Primary structure of peptide/oligonucleotide; structural features and fingerprints; distribution of mixtures, etc.
- Comparative physicochemical property analysis
 - MW distribution, spectroscopic analysis, etc.
- Comparative impurity profile analysis
 - peptide-related impurities in synthetic peptides; (N+1), (N-1) impurities in oligonucleotides
- Comparative biological activity analysis if necessary
 - Confirmatory in vitro and/or in vivo biological activities

www.fda.gov

Examples



- Peptide: Calcitonin Salmon
- Low Molecular Weight Heparin (LMWH): Enoxaparin Sodium

Peptides



- Any alpha amino acid polymer with a defined sequence that is 40 amino acids or fewer in size;
- No product-specific guidance (PSG) for individual injectable peptide drug;
- Draft guidance for industry: ANDAs for Certain Highly Purified Synthetic Peptide Drug Products That Refer to Listed Drugs of rDNA Origin (Oct 2017);
 - The general characterization principles and strategies in this guidance may be considered when developing other peptide API products.

Characterization of Peptides

- Primary sequence, amino acid composition
- Optical rotation, other physicochemical properties
- Secondary structure
- Oligomer/Aggregation states
- Biological activities (by in vitro or animal studies)
- Impurities (peptide-related impurities and other impurities

Use orthogonal analytical methods!



- Calcitonin-Salmon: a 32 amino acid peptide hormone for postmenopausal osteoporosis;
- Several Calcitonin-Salmon nasal spray products have been approved (rDNA and synthetic);
- FDA Lab applied a data-dependent acquisition (DDA) LC-MS-MS and data-independent acquisition (DIA) LC-MS^E approach to analyze peptide impurities in Calcitonin-Salmon nasal spray.

Rapid Screening of Peptide Impurities in Calcitonin-Salmon Nasal Spray Using Data-Dependent LC-MS-MS And Data-Independent LC-MS^E, Yang, J., et. al., ASMS Poster, 2017.



- Instruments: UHPLC-MS (Thermo Q Exactive Orbitrap and Waters Synapt G2Si mass Spectrometers);
- To identify peptide impurities in all three groups:
 - Impurities observed in total ion chromatogram (TIC);
 - Impurities co-eluting with the API or eluted at its peak tail (challenging for manual screening);
 - Impurities buried under the TIC baseline.

DIA LC-MSE approach

Table 1. List of selected pep	ide impurities observed	using DIA approach
-------------------------------	-------------------------	--------------------

Impurity	Rt (min)	M.W. (mono)	Δm/z	% ADC
1	5.8	2195.396	-1234.7	0.01
2		2213.408	-1216.7	0.08
3	21.3	3503.072	73.0	0.02
4		3333.996	-96.1	0.13
5	26.1	3412.084	-18.0	0.01
6	28.7	3412.032	-18.0	0.14
7		3315.960	-114.1	6.45
8		3297.972	-132.1	0.41
9		3477.048	47.0	0.01
10		3572.900	142.8	0.15
11		3214.884	-215.2	0.34
12		3468.080	38.0	2.18
13		3532.128	102.1	0.02
14	30.0	3232.920	-197.2	0.03
15		3501.096	71.0	0.02
16		3451.980	21.9	1.65
17		3430.072	0.0	0.78
18	30.4	2912.788	-517.3	0.01
19		3088.856	-341.2	0.09
20		3316.968	-113.1	0.05
21		2715.680	-714.4	0.04
22	1	3431.125	1.1	0.01
23		2930.784	-499.3	0.02
24	31.5	3316.968	-113.1	0.05
25		1691.986	-1738.1	0.13
26		3430.072	0.0	0.78
27		3453.000	22.9	0.01
28	32.5	3450.495	20.4	0.73

www.fda.gov





Table 2. List of selected peptide impurities observed using DDA approach

	TIC Peak Retention	Monoisotopic	Detected by	
Index	Time (min)	Mass	DDA	Area %
1	5.77	2213.1206	Yes	0.06
2	18.49	1321.6378	No	0.009
3	19.44	1578.7394	No	0.005
4		3447.7259	Yes	1.17
5	20.6	1234.6048	Yes	0.05
6		3333.6461	Yes	0.02
7	24.32	1828.8825	No	0.02
8	24.99	3412.6908	Yes	0.23
9	29.86	2930.4755	Yes	0.04
10	30.4	2715.3867	Yes	0.02
11	30.54	2070.0608	Yes	0.12
12	31.08	1691.8229	Yes	0.06
13	32.71	3471.7261	Yes	0.17
14	35.84	3428.6858	Yes	0.08
15	37.99	3471.7261	Yes	0.02
16	57.07	Only Sin	gly-charged ior	ns observed
17	58.8	Only Sin	gly-charged ior	ns observed

FDA



- 13 nasal spray drug products analyzed;
- Over 100 peptide impurities detected by LC/MS;
- 4 were above 0.5%;
- 16 were above 0.1%.

16

FDA

Peptide Impurities: Comparative Evaluation

FDA

To ensure impurities will not affect the safety (including the immunogenicity) and efficacy of the generic peptide drug

- Existing peptide impurities: generally not higher than those found in the RLD
- New peptide impurities: to identify and characterize above certain threshold
- To assess immunogenicity risk with in silico, in vitro methods

Examples




- Peptide: Calcitonin Salmon
- Low Molecular Weight Heparin (LMWH): Enoxaparin Sodium

Enoxaparin Sodium




- Derived from porcine heparin through alkaline depolymerization of heparin ester;*
- Average MW 4500 with major components between 2000-8000;
- About 20% (between 15-25%) contains 1,6-anhydro derivative on the reducing end of the polysaccharide chain.



Comparative Structure Analysis

- FDA
- PSG recommends structural fingerprinting analysis
 - Oligosaccharide compositions;
 - Sequence of oligosaccharide species;
 - Disaccharide building blocks;
 - Fragment mapping after enzymatic cleavage;
 - Involves intensive chromatographic separation, Mass spectrometry and 1D, 2D-NMR studies.




Mourier, P.A., et.al. JPBA, 115 (2015), 431-442, with permission


on FDA

22

Structural Fingerprinting: Composition




GPC chromatogram of high affinity (thin line) and low-affinity (thick line) enoxaparin by UV (232 nm)



2-D HSQC* ¹H-¹³C NMR spectra of high-affinity tetradecasaccharide fractions on enoxaparin from two manufacturers. Main differences between the spectra are due to a linkage region (LR).

www.fda.gov

Structural Fingerprinting: Fragment Mapping



Structural symbols		
ΔIVa	∆U-GlcNAc	
ΔIVs	ΔU -GlcNS	
ΔIIa	ΔU -GlcNAc,6S	
∆IIIa	∆U 2S-GlcNAc	
ΔIIs	ΔU -GlcNS,6S	
ΔIIIs	ΔU 2S-GlcNS	
ΔIa	∆U 2S-GlcNAc,6S	
ΔIs	∆U 2S-GlcNS,6S	
ΔIVs_{gal}	Δ GalA-GlcNS	
ΔIIs_{gal}	Δ GalA-GlcNS,6S	

 $\begin{array}{ll} The \ iduronic \ (id) \ or \ glucuronic \ (glu) \ structure \ of \ uronic \ acids \ is \ indicated \ for \ oligosaccharides, \ e.g. \ \Delta Is \ IIIs_{id}. \ Underlined \ disaccharides \ have \ a \ 3-O-sulfated \ glucosamine \ \\ \Delta IIs \ \Delta U-GlcNS, 3S, 6S \ \\ \Delta Is \ \Delta U2S-GlcNS, 3S, 6S \ \\ IIs_{glu} \ GlcA-GlcNS, 3S, 6S \end{array}$

ΔIIa-IIs_{glu} ΔU-GlcNAc,6S- GlcA-GlcNS,3S,6S

Enoxaparin batches depolymerized by heparinase enzymes and separated by strong anion exchange chromatography (black line: UV 234 nm; red line: UV 202-242 nm)

Other Characterizations for Sameness

FDA

- Physicochemical properties
 - Overall composition, spectroscopic data, certain USP tests
- Biological (in vitro/in vivo) activities
 - In vitro Anti-Factor Xa activity, Anti-Xa/Ila ratio
 - In vivo pharmacodynamic (PD) profile

Totality of Evidence approach for complex APIs

Summary



- Complex API sameness can be demonstrated through a comprehensive, totality of evidence approach
- Each complex injectable API has its own challenges, generic applicants need to evaluate individual situation and apply the principles accordingly
 - Peptide impurity characterization (Calcitonin Salmon)
 - Structure signature characterization of complex mixture (Enoxaparin)

Acknowledgement

OGD

- Rob Lionberger
- Lei Zhang
- Wenlei Jiang
- Markham Luke
- Jeff Jiang
- Darby Kozak

OPQ

- Jingyue Yang
- Priyanka Chitranshi
- Kui Zeng
- David Keire
- Michael Trehy
- Ilan Geerlof-Vidavsky

FDA

